

316 STONE CLADDING PINS

316不锈钢石材固定销钉 | 快速选型目录



316 stainless steel / Reference sizes / Drawing-based enquiries
316材质 · 常规参考规格 · 按图询价

RETURN HOOKS & L-PINS | 长短腿钩与L形销



H / 长短腿钩



L / L形销

REF. 编号	DIA. 线径 mm	SIZE 尺寸 mm
JCM-H-01	3.5 / 4.0	25 x 50 x 150
JCM-H-02	3.5 / 4.0	30 x 50 x 150
JCM-H-03	3.5 / 4.0	25 x 70 x 150
JCM-H-04	3.5 / 4.0	30 x 70 x 150
JCM-L-01	3.5 / 4.0	25 x 200
JCM-L-02	3.5 / 4.0	30 x 200

Quote the JCM reference and wire diameter, e.g. JCM-H-02 / 3.5 mm.
询价请注明JCM编号及线径；所有尺寸须以双方确认图纸为准。

DIMENSION CONFIRMATION | 尺寸确认规则


All dimensions are in mm. Size combinations are selection references, not dimensioned drawings. Before ordering, mark each value on the required shape and agree inside, outside or centreline measurements, bend radii, angles and tolerances.
尺寸单位均为毫米。尺寸组合用于选型，不是带尺寸生产图；下单前须在所需形状上逐段标注，并确认内尺寸、外尺寸或中心线尺寸，以及弯曲半径、角度和公差。

All listed sizes are reference options, not confirmed stock or certified products. Supply is subject to review. Illustrations are not to scale.
所列为参考选项，不代表现货或认证；供货须确认。图片、线图不作为生产尺寸依据。

BENT PIN SELECTION

短折弯销 · 高低差销 · U形销 | 尺寸单位：毫米


ANGLED PINS | 短折弯销



DIA. 4.0 / 5.0* mm

JCM REF. 编号	SIZE 尺寸组合 mm
JCM-A-01	25 x 60 x 25
JCM-A-02	30 x 60 x 30
JCM-A-03	30 x 70 x 30
JCM-A-04	30 x 90 x 30


OFFSET PINS | 高低差折弯销



DIA. 3.5 / 4.0 mm

JCM REF. 编号	SIZE 尺寸组合 mm
JCM-O-01	25 x 65 x 20
JCM-O-02	30 x 65 x 20
JCM-O-03	25 x 85 x 20
JCM-O-04	30 x 85 x 20

U-SHAPED PINS | U形销



DIA. 4.0 / 5.0* mm

JCM REF. 编号	SIZE 尺寸组合 mm
JCM-U-01	25 x 60 x 25
JCM-U-02	30 x 60 x 30
JCM-U-03	25 x 70 x 25
JCM-U-04	30 x 70 x 30
JCM-U-05	30 x 90 x 30

* 5.0 mm: on-request option, subject to production review.

5.0毫米为按需询价选项，供货须经生产评审。

Confirm dimension-to-segment mapping, inside/outside/centreline measurements, bend radii, angles and tolerances on the order drawing. Sketches are not to scale.

各数值与线段的对应关系、内 / 外 / 中心线尺寸、弯曲半径、角度及公差以订单确认图为准。示意图不按比例。

LENGTHS & ORDER DETAILS


长短销长度系列 · 异形定制 · 询价与交付

LENGTH REFERENCE / 316 / DIA. 4.0 mm | 长度参考

FAMILY 系列	LENGTH OPTIONS 长度参考 mm
JCM-BL Long pins 长销	L = 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510
JCM-BS Short pins 短销	L = 110, 120, 130, 170

Enquiry code = family + length, e.g. JCM-BL-460 or JCM-BS-110. L is a reference length label; its measurement basis and end shapes require an approved drawing. It is not automatically the overall or developed length.
询价编号 = 系列 + 长度，例如JCM-BL-460、JCM-BS-110。L为参考长度标注；测量口径和端部形状须按图确认，不直接等同总长或展开下料长度。

SPECIAL END FORMS | 首末排及窗边异形款



JCM-C / Custom forms 异形定制
Reference: dia. 4.0 mm, L = 460 mm.
参考线径4.0毫米，长度标注L=460毫米。
End forms shown are conceptual, not fixed SKUs.
端部仅示意，并非已确认的固定型号。

ORDER CHECKLIST | 询价及订单确认

Send the JCM code, drawing/revision, wire diameter, segment dimensions and quantity per size. Agree material certificate/traceability, end finish, inspection, packing and delivery terms. Custom sizes are subject to review.
请提供JCM编号、图纸及版本、线径、各段尺寸和每款数量；约定材质证明及追溯、端部处理、检验、包装与交付条款。其他规格按图评审。

WEIGHT & PACKING | 净重与包装

Settlement is based on actual product net weight, excluding packaging. Unit weights, pieces/carton and pallet loads are agreed per order. Price, MOQ and lead time are quoted separately.
按实际过磅产品净重结算，不含包装。单重、每箱件数和托盘装载按订单确认；价格、起订量和交期另报。

PROJECT REQUIREMENTS | 项目技术要求

The project engineer must confirm the applicable SI 2378 part/edition, fixing design and tests. Diameter alone does not establish compliance. This guide is not a conformity certificate or installation drawing. JCM codes are enquiry references, not national standard model numbers.
适用的 SI 2378 部分及版本、固定设计和试验由项目工程师确认。线径本身不能证明合规。
本册不是符合性证书或安装图；JCM 编号用于询价，不是国家标准型号。

JCM METAL | WhatsApp: +852 5315 4737

Send your code + drawing + quantity for a quotation.
发送型号、图纸及数量，获取按图报价。